IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Re-Issue Application of Confirmation No.: 6102

Carl L.C. Kah, III Date: June 15, 2009

Serial No.: 09/686,197 Group Art Unit: 3752

Filed: October 10, 2000 Examiner: Davis D. Hwu

For: OPERATIONALLY CHANGEABLE MULTIPLE NOZZLES SPRINKLER

VIA EFS-WEB

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT/SUBMISSION

In response to the Office Action mailed January 13, 2009, please reconsider the above-identified application amended as follows:

FEE CALCULATION

√ No Additional Fee is Required

Any additional fee required has been calculated as follows:

 $\sqrt{\ }$ If checked, "Small Entity" status is claimed.

NO. OF	PER THIS RESPONSE		PREVIOUSI PAID FOR	.Y	ADD'L CLAIMS		RATE	OUNT UE
TOTAL	28	MIN US	28	* =	0	Х	(\$25 SE or \$50)	\$
INDEP.	5	MIN US	5	**	0	X	(\$100 SE or \$200)	\$
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM						X	(\$180 SE or \$360)	\$
* not less than 20							TOTAL	\$ -0-

If any additiona	payment is required, a check which includes the calculated fee of §	
(OFGS Check No) is attached.	

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge the underpayment to Deposit Account No. 15-0700.

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. §1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. §1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 15-0700.

AMENDMENTS

If checked, amendment(s) to the specification are submitted herewith
If checked, an amended abstract is submitted herewith.
If checked, amendment(s) to the claims are submitted herewith.
If checked, amendment(s) to the drawings are submitted herewith.